

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес: gnk@nt-rt.ru | <http://gocmaksan.nt-rt.ru>

Screed Machines

READY TO USE WHENEVER POWER AND STRENGTH ARE NEEDED

Rhino 33 Rhino 44

- Sheets inside the tanks of our machines are Hardox wear plates. These plates are resistant against friction upto 10 times.
 - Inner parts of the hoses are coated with an abrasion resistant polyurethane.
 - Tank combining welds are submerged weldings.
 - It has a fiberglass esthetics and durable hood.
 - It has a ECO WORK mode which enables fuel efficiency.
 - Digger piston provides safe operation with an integrated safety system against overloading.
 - It ensures safe handling thanks to its solid and rigid chassis.
 - It enables safe operation with handbrake mechanism.
 - Radiators can be easily cleaned by means of demountable front ventilation window.
 - Our machines work faster thanks to automatic transmission arm.
- Since the machines run with low rpm during the neutral position, they run with full power when the transmission arm is pressed and in this way the fuel consumption is lowered.
 - It is smoothly mounted to a vehicle by means of easily adjustable tow arm.
 - The tank is automatically lubed with an automatic central lubrication system.



M&S 25 PLASTERING MACHINE
THE MASTER OF THE HEALTHY LIFE IN HYGENIC ENVIRONMENTS

M&S 25 machine mixes the pumpable dry mortar and allows it to be used as liquid. It is capable of cleaned fastly and easily after use. It has the easy filling process and the machines vat/kier is produced in convenient geometry in order to avoid the dry material inside to fall outside the kier and the machine.

The mixing system of the machine is driven by a cycloid gearbox. Machine has a continious mixing system. It can be transported easily from one place to another by means of its wheels and is above expectations in terms of all details such as industrial design , safety operation voltage , easy operation and ergonomic operation conditions.

In compliance with CE Regulations, all safety precautions are taken for any hazardous situation that may occur during operation. It is a productive and silence machine. Due to corrosion occuring because the machines worksite is outside areas, machine is painted by a static paint and machines water mating parts and surfaces are covered by durable coating materials.

This model has proved itself in its category and all spares supplied all produce by our own %100.



Technical Specifications

| | Rhino 33 Rhino 33 X | Rhino 44 Rhino 44 X |
|---------------------------------------|-------------------------------------|----------------------------------|
| Engine | Deutz D2011 L03 31. 5 KW Oil-Cooled | Deutz D2011 L04 46 KW Oil-Cooled |
| Compressor | Atlas Copco | Atlas Copco |
| Net Tank Volume | 200 lt | 200 lt |
| Gross Tank Volume | 265 lt | 265 lt |
| Lubrication System | Automatic Central | Automatic Central |
| Operation Pressure | 7 bars | 7 bars |
| Hydraulic System Pressure with Bucket | 160 bars | 160 bars |
| Maximum Air Pressure | 10 bars | 10 bars |
| Bucket Filling Height | 400 mm | 400 mm |
| Tank Filling Height | 910 mm | 910 mm |
| Maximum Aggregate Diameter | 16 mm | 16 mm |
| Pumping Height Vertical | 100 m | 150 m |
| Pumping Height Horizontal | 180 m | 200 m |
| Sound Level | 104 db | 104 db |
| Voltage | 12 V | 12 V |
| Weight with Bucket | 1800 kg | 1900 kg |
| Weight without Bucket | 1700 kg | 1750 kg |
| Dimensions L x W x H with Bucket | 5100 x 1470 x 2380 mm | 5100 x 1470 x 2380 mm |
| Dimensions L x W x H without Bucket | 5100 x 1470 x 1460 mm | 5100 x 1470 x 1460 mm |

| M&S 25 Plastering Machine Technical Details | |
|---|-----------------------|
| Pumping Capacity | 25 lt/ (min) |
| Pumping Pressure | 30 bar |
| Pumping Distance | Max. 50 m |
| Operating | 380 V, 50 Hz |
| Pumping Motor | 5,5 kW |
| Loading Motor | 1,1 kW |
| Water Connection | 1" |
| Water Pressure | Min 2,5 bar |
| Compressor Capacity | 0,9 kW, 250 l/dk. min |
| Remote Control | Pnömatik Pneumatic |
| Pumping Hose | Ø 25 mm |
| Kier Capacity | 105 lt |
| Dimensions (WxLxH) | 900/1220/1360 mm |
| Loading Weight | 1020 mm |
| Weight | 240 kg |
| Pump | D6-3 Orange |
| Injection Gun | Long |
| Mortar Hose | 15 m |
| Air Hose | 16 m |
| Water Hose | 5 m |

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес: gnc@nt-rt.ru | <http://gocmaksan.nt-rt.ru>